

**TRU BLU**

**TOOLS BY WOOD**

SEC.  
6

# STUART brand

*B-Grade*

**REGULAR & LIGHTWEIGHT  
SHOVELS, SPADES, SCOOPS.**

**X GRADE  
NORTHERN**

**WHITE ASH  
HANDLES**

**HIGH**

**CARBON  
STEEL BLADES,  
HEAT TREATED**

WOOD'S

**STUART**

**BRAND  
PIQUA  
OHIO  
U.S.A.**

**CLOSED BACK  
PLAIN BACK  
and OPEN BACK TYPES**

STUART B GRADE Shovels, Spades, Scoops

## THE WOOD SHOVEL AND TOOL COMPANY

FORM NO. B 109 LITHO. IN U.S.A.


PIQUA, OHIO, U.S.A.



YOU GET THESE EXTRA VALUES WHEN YOU BUY WOOD


## MOLY D HANDLE STEEL BANDED

Wood's Moly D Handle is wide and comfortable to the hand. It is stronger than ordinary handles, and won't work loose, split, or check.




**PATENTED!**


SELECTED  
XX GRADE




XX GRADE



X GRADE



NO. 1 GRADE



## STEEL I-BEAM HANDLE REINFORCEMENT over 50% stronger than plain handles

Wood's steel I-Beam insert adds 50% more strength at the point where 65% of all handle breakage occurs.

The two-piece reinforcement is riveted solidly through the blade socket, but flanged around the handle above the socket, giving added strength without sacrificing resiliency or spring.


## YOUR CHOICE OF BLADE CONSTRUCTION

Shovels and spades are manufactured in Closed Back, Plain Back, and Open Back Types. Scoops are furnished in Open Back type only. The Closed Back construction incorporates the best features of all three types:- Smooth back, rolled shoulders, I-beam reinforcement, and straight shoulder chucked handle which makes rehandling easier.


CLOSED BACK

PLAIN BACK

OPEN BACK








| No.          | Size | Blade                                | Weight Per Doz. |
|--------------|------|--------------------------------------|-----------------|
| <b>2B2CB</b> | 2    | 9 <sup>3</sup> / <sub>4</sub> "x12"  | 58 lbs.         |
| <b>2B4CB</b> | 4    | 10 <sup>1</sup> / <sub>4</sub> "x13" | 63 lbs.         |
| <b>2B6CB</b> | 6    | 11 <sup>1</sup> / <sub>4</sub> "x14" | 70 lbs.         |

Replacement Handle No. VCBX



| No.        | Size | Blade                                | Weight Per Doz. |
|------------|------|--------------------------------------|-----------------|
| <b>2B2</b> | 2    | 9 <sup>3</sup> / <sub>4</sub> "x12"  | 60 lbs.         |
| <b>2B4</b> | 4    | 10 <sup>1</sup> / <sub>4</sub> "x13" | 66 lbs.         |

Replacement Handle No. V1X



| No.         | Size | Blade                                | Weight Per Doz. |
|-------------|------|--------------------------------------|-----------------|
| <b>02B2</b> | 2    | 9 <sup>3</sup> / <sub>4</sub> "x12"  | 55 lbs.         |
| <b>02B4</b> | 4    | 10 <sup>1</sup> / <sub>4</sub> "x13" | 62 lbs.         |

Replacement Handle No. VTSX

**HIGH CARBON STEEL BLADES, HEAT TREATED**

## **D HANDLE SHOVELS**

**X GRADE NORTHERN WHITE ASH HANDLES**



| No.          | Size | Blade                                | Weight Per Doz. |
|--------------|------|--------------------------------------|-----------------|
| <b>3B2CB</b> | 2    | 9"x12 <sup>1</sup> / <sub>2</sub> "  | 59 lbs.         |
| <b>3B4CB</b> | 4    | 10"x13 <sup>1</sup> / <sub>2</sub> " | 65 lbs.         |
| <b>3B6CB</b> | 6    | 11"x14 <sup>1</sup> / <sub>2</sub> " | 69 lbs.         |

Replacement Handle No. VCBX



| No.        | Size | Blade   | Weight Per Doz. |
|------------|------|---------|-----------------|
| <b>3B2</b> | 2    | 9"x12"  | 56 lbs.         |
| <b>3B4</b> | 4    | 10"x13" | 62 lbs.         |


Replacement Handle No. V1X



| No.         | Size | Blade                                | Weight Per Doz. |
|-------------|------|--------------------------------------|-----------------|
| <b>03B2</b> | 2    | 9"x12 <sup>1</sup> / <sub>2</sub> "  | 56 lbs.         |
| <b>03B4</b> | 4    | 10"x13 <sup>1</sup> / <sub>2</sub> " | 62 lbs.         |

Replacement Handle No. VTSX






**15 GA.  
SQUARE POINT  
CLOSED BACK**

| No.   | Size | Blade                                  | Weight<br>Per Doz. |
|-------|------|----------------------------------------|--------------------|
| 4B2CB | 2    | 9 <sup>3</sup> / <sub>4</sub> " x 12"  | 62 lbs.            |
| 4B4CB | 4    | 10 <sup>1</sup> / <sub>4</sub> " x 13" | 68 lbs.            |
| 4B6CB | 6    | 11 <sup>1</sup> / <sub>4</sub> " x 14" | 74 lbs.            |

Replacement Handle No. KCBX



**14 GA.  
SQUARE POINT  
PLAIN BACK**

| No. | Size | Blade                                  | Weight<br>Per Doz. |
|-----|------|----------------------------------------|--------------------|
| 4B2 | 2    | 9 <sup>3</sup> / <sub>4</sub> " x 12"  | 65 lbs.            |
| 4B4 | 4    | 10 <sup>1</sup> / <sub>4</sub> " x 13" | 71 lbs.            |
| 4B6 | 6    | 11 <sup>1</sup> / <sub>4</sub> " x 14" | 76 lbs.            |

Replacement Handle No. K1X



**15 GA.  
SQUARE POINT  
OPEN BACK**

| No.  | Size | Blade                                  | Weight<br>Per Doz. |
|------|------|----------------------------------------|--------------------|
| 04B2 | 2    | 9 <sup>3</sup> / <sub>4</sub> " x 12"  | 59 lbs.            |
| 04B4 | 4    | 10 <sup>1</sup> / <sub>4</sub> " x 13" | 65 lbs.            |
| 04B6 | 6    | 11 <sup>1</sup> / <sub>4</sub> " x 14" | 71 lbs.            |

Replacement Handle No. KTSX

**HIGH CARBON STEEL BLADES, HEAT TREATED**

## **LONG HANDLE SHOVELS**

**X GRADE NORTHERN WHITE ASH HANDLES**



**15 GA.  
ROUND POINT  
CLOSED BACK**

| No.   | Size | Blade                                 | Weight<br>Per Doz. |
|-------|------|---------------------------------------|--------------------|
| 5B2CB | 2    | 9" x 12"                              | 57 lbs.            |
| 5B4CB | 4    | 9 <sup>3</sup> / <sub>4</sub> " x 13" | 63 lbs.            |


Replacement Handle No. KCBX



**14 GA.  
ROUND POINT  
PLAIN BACK**

| No. | Size | Blade                                 | Weight<br>Per Doz. |
|-----|------|---------------------------------------|--------------------|
| 5B2 | 2    | 9" x 12"                              | 60 lbs.            |
| 5B4 | 4    | 9 <sup>3</sup> / <sub>4</sub> " x 13" | 65 lbs.            |

Replacement Handle No. K1X



**15 GA.  
ROUND POINT  
OPEN BACK**

| No.  | Size | Blade                                 | Weight<br>Per Doz. |
|------|------|---------------------------------------|--------------------|
| 05B2 | 2    | 9" x 12"                              | 55 lbs.            |
| 05B4 | 4    | 9 <sup>3</sup> / <sub>4</sub> " x 13" | 61 lbs.            |

Replacement Handle No. KTSX





| No.   | Size | Blade        | Weight Per Doz. |
|-------|------|--------------|-----------------|
| 6B2CB | 2    | 7 1/4" x 12" | 60 lbs.         |

Replacement Handle No. VCBX



| No. | Size | Blade        | Weight Per Doz. |
|-----|------|--------------|-----------------|
| 6B2 | 2    | 7 1/4" x 12" | 61 lbs.         |

Replacement Handle No. V2X




| No. | Size | Blade        | Weight Per Doz. |
|-----|------|--------------|-----------------|
| VB1 | 1    | 8" x 10 1/4" | 40 lbs.         |

Replacement Handle No. VICX

HIGH CARBON STEEL BLADES, HEAT TREATED

## D HANDLE SPADES

X GRADE NORTHERN WHITE ASH HANDLES



| No.   | Size | Blade        | Weight Per Doz. |
|-------|------|--------------|-----------------|
| 6B1CB | 2    | 6 1/4" x 12" | 48 lbs.         |


Replacement Handle No. (27") VCBX



| No. | Size | Blade        | Weight Per Doz. |
|-----|------|--------------|-----------------|
| 6B1 | 2    | 6 1/4" x 12" | 48 lbs.         |

Replacement Handle No. (34") V2X





| No.   | Size | Blade        | Weight Per Doz. |
|-------|------|--------------|-----------------|
| 7B2CB | 2    | 7 1/4" x 12" | 65 lbs.         |

Replacement Handle No. KCBX



| No. | Size | Blade        | Weight Per Doz. |
|-----|------|--------------|-----------------|
| 7B2 | 2    | 7 1/4" x 12" | 66 lbs.         |

Replacement Handle No. K2X



| No. | Size | Blade        | Weight Per Doz. |
|-----|------|--------------|-----------------|
| LB1 | 1    | 8" x 10 1/4" | 43 lbs.         |

Shovel Bend is standard. Spade Bend available when specified.

Replacement Handle No. LK1CX

**HIGH CARBON STEEL BLADES, HEAT TREATED**

**LONG**

**HANDLE SHOVELS AND SPADES**

**X GRADE NORTHERN WHITE ASH HANDLES**



| No.   | Size | Blade            | Weight Per Doz. |
|-------|------|------------------|-----------------|
| B1CBR | 1    | 8 1/4" x 10 1/4" | 52 lbs.         |
| B2CBR | 2    | 9" x 11 1/4"     | 54 lbs.         |

Replacement Handle No. KCBX



| No. | Size | Blade            | Weight Per Doz. |
|-----|------|------------------|-----------------|
| B1R | 1    | 8 1/4" x 10 1/4" | 52 lbs.         |
| B2R | 2    | 9" x 11 1/4"     | 54 lbs.         |

Replacement Handle No. K2X





| No.    | Size | Blade                               | Weight Per Doz. |
|--------|------|-------------------------------------|-----------------|
| 701BCB | 14"  | 5 <sup>3</sup> / <sub>4</sub> "x14" | 54 lbs.         |
| 702BCB | 16"  | 5 <sup>3</sup> / <sub>4</sub> "x16" | 57 lbs.         |
| 703BCB | 18"  | 5 <sup>3</sup> / <sub>4</sub> "x18" | 60 lbs.         |

Replacement Handle No. VCBX



| No.  | Size | Blade                               | Weight Per Doz. |
|------|------|-------------------------------------|-----------------|
| 701B | 14"  | 5 <sup>3</sup> / <sub>4</sub> "x14" | 53 lbs.         |
| 702B | 16"  | 5 <sup>3</sup> / <sub>4</sub> "x16" | 56 lbs.         |
| 703B | 18"  | 5 <sup>3</sup> / <sub>4</sub> "x18" | 59 lbs.         |

Replacement Handle No. V2X

**HIGH CARBON STEEL BLADES, HEAT TREATED**

**D HANDLE SPADES**

**X GRADE NORTHERN WHITE ASH HANDLES**



| No.    | Size | Blade  | Weight Per Doz. |
|--------|------|--------|-----------------|
| 711BCB | 14"  | 6"x14" | 54 lbs.         |
| 712BCB | 16"  | 6"x16" | 57 lbs.         |
| 713BCB | 18"  | 6"x18" | 60 lbs.         |


Replacement Handle No. VCBX



| No.  | Size | Blade  | Weight Per Doz. |
|------|------|--------|-----------------|
| 711B | 14"  | 6"x14" | 53 lbs.         |
| 712B | 16"  | 6"x16" | 56 lbs.         |
| 713B | 18"  | 6"x18" | 59 lbs.         |

Replacement Handle No. V2X





Replacement Handle No. VCBX



Replacement Handle No. V1X



Replacement Handle No. V3X

**HIGH CARBON STEEL BLADES, HEAT TREATED**

# **D HANDLE SHOVELS AND SCOOPS**

**X GRADE NORTHERN WHITE ASH HANDLES**



Replacement Handle No. V3X



Replacement Handle No. V3X




Replacement Handle No. V3X





| No. | Size | Blade             | Weight Per Doz. |
|-----|------|-------------------|-----------------|
| B82 | 2    | 11" x 14 1/2"     | 63 lbs.         |
| B84 | 4    | 11 3/4" x 15 1/2" | 67 lbs.         |
| B86 | 6    | 12 1/4" x 16 1/4" | 72 lbs.         |

Replacement Handle No. V3X



| No.  | Size | Blade         | Weight Per Doz. |
|------|------|---------------|-----------------|
| B138 | 8    | 14" x 17"     | 77 lbs.         |
| B140 | 10   | 14 3/4" x 18" | 81 lbs.         |
| B142 | 12   | 15 1/4" x 19" | 85 lbs.         |
| B144 | 14   | 15 3/4" x 20" | 89 lbs.         |

Replacement Handle No. V3X



| No.   | Size | Blade         | Weight Per Doz. |
|-------|------|---------------|-----------------|
| B138Z | 8    | 14 1/2" x 17" | 77 lbs.         |
| B140Z | 10   | 15" x 18"     | 81 lbs.         |

Replacement Handle No. V3X

HIGH CARBON STEEL BLADES, HEAT TREATED

## D HANDLE SCOOPS

X GRADE NORTHERN WHITE ASH HANDLES




| No.   | Size | Blade     | Weight Per Doz. |
|-------|------|-----------|-----------------|
| B82RP | 2    | 11" x 15" | 58 lbs.         |

Replacement Handle No. V3X



| No.     | Size | Blade             | Weight Per Doz. |
|---------|------|-------------------|-----------------|
| B138LWC | 8    | 13 3/4" x 16 3/4" | 68 lbs.         |
| B140LWC | 10   | 14 1/2" x 17 3/4" | 71 lbs.         |
| B142LWC | 12   | 14 3/4" x 18 3/4" | 74 lbs.         |
| B144LWC | 14   | 15 1/4" x 19 3/4" | 78 lbs.         |

Replacement Handle No. V3X



| No.   | Size | Blade             | Weight Per Doz. |
|-------|------|-------------------|-----------------|
| B135D | 5    | 11 1/4" x 15 1/2" | 66 lbs.         |

Replacement Handle No. V3X






**16 GA.  
SQUARE POINT  
CLOSED BACK  
LIGHTWEIGHT**

| No.            | Size | Blade                               | Weight<br>Per Doz. |
|----------------|------|-------------------------------------|--------------------|
| <b>2B2CBLW</b> | 2    | 9 <sup>3</sup> / <sub>4</sub> "x12" | 52 lbs.            |


Replacement Handle No. VCBX



**16 GA.  
SQUARE POINT  
PLAIN BACK  
LIGHTWEIGHT**

| No.          | Size | Blade                               | Weight<br>Per Doz. |
|--------------|------|-------------------------------------|--------------------|
| <b>2B2LW</b> | 2    | 9 <sup>3</sup> / <sub>4</sub> "x12" | 52 lbs.            |

Replacement Handle No. V1X



**16 GA.  
SQUARE POINT  
CLOSED BACK  
LIGHTWEIGHT**

| No.            | Size | Blade                               | Weight<br>Per Doz. |
|----------------|------|-------------------------------------|--------------------|
| <b>4B2CBLW</b> | 2    | 9 <sup>3</sup> / <sub>4</sub> "x12" | 52 lbs.            |

Replacement Handle No. LKCBX

## SPECIAL LIGHTWEIGHT

**D**

## HANDLE SHOVELS

HIGH CARBON STEEL BLADES, HEAT TREATED  
X GRADE NORTHERN WHITE ASH HANDLES



**16 GA.  
ROUND POINT  
CLOSED BACK  
LIGHTWEIGHT**

| No.            | Size | Blade                                                            | Weight<br>Per Doz. |
|----------------|------|------------------------------------------------------------------|--------------------|
| <b>3B2CBLW</b> | 2    | 8 <sup>7</sup> / <sub>8</sub> "x11 <sup>3</sup> / <sub>4</sub> " | 50 lbs.            |

Replacement Handle No. VCBX



**16 GA.  
ROUND POINT  
PLAIN BACK  
LIGHTWEIGHT**

| No.          | Size | Blade                                                            | Weight<br>Per Doz. |
|--------------|------|------------------------------------------------------------------|--------------------|
| <b>3B2LW</b> | 2    | 8 <sup>7</sup> / <sub>8</sub> "x11 <sup>3</sup> / <sub>4</sub> " | 50 lbs.            |

Replacement Handle No. V1X



**16 GA.  
SPADING OR  
IRRIGATING  
CLOSED BACK  
LIGHTWEIGHT**

| No.           | Size | Blade                                                            | Weight<br>Per Doz. |
|---------------|------|------------------------------------------------------------------|--------------------|
| <b>B1CBLW</b> | 1    | 8" x11"                                                          | 49 lbs.            |
| <b>B2CBLW</b> | 2    | 8 <sup>3</sup> / <sub>4</sub> "x11 <sup>1</sup> / <sub>2</sub> " | 52 lbs.            |

Replacement Handle No. LKCBX





**16 GA.  
SQUARE POINT  
PLAIN BACK  
LIGHTWEIGHT**

| No.   | Size | Blade                                 | Weight<br>Per Doz. |
|-------|------|---------------------------------------|--------------------|
| 4B2LW | 2    | 9 <sup>3</sup> / <sub>4</sub> " x 12" | 50 lbs.            |

Replacement Handle No. LK1X



STEEL I-BEAM REINFORCED

ROLLED SHOULDERS

**16 GA.  
ROUND POINT  
CLOSED BACK  
LIGHTWEIGHT**

| No.     | Size | Blade                                                              | Weight<br>Per Doz. |
|---------|------|--------------------------------------------------------------------|--------------------|
| 5B2CBLW | 2    | 8 <sup>7</sup> / <sub>8</sub> " x 11 <sup>3</sup> / <sub>4</sub> " | 52 lbs.            |

Replacement Handle No. LKCBX



**16 GA.  
ROUND POINT  
PLAIN BACK  
LIGHTWEIGHT**

| No.   | Size | Blade                                                              | Weight<br>Per Doz. |
|-------|------|--------------------------------------------------------------------|--------------------|
| 5B2LW | 2    | 8 <sup>7</sup> / <sub>8</sub> " x 11 <sup>3</sup> / <sub>4</sub> " | 50 lbs.            |

Replacement Handle No. LK1X

**HIGH CARBON STEEL BLADES, HEAT TREATED**

**SPECIAL  
LIGHT  
WEIGHT**

**LONG**

**HANDLE SHOVELS**

**X GRADE NORTHERN WHITE ASH HANDLES**



**16 GA.  
SPADING OR  
IRRIGATING  
PLAIN BACK  
LIGHTWEIGHT**

| No.  | Size | Blade                                                              | Weight<br>Per Doz. |
|------|------|--------------------------------------------------------------------|--------------------|
| B1LW | 1    | 8" x 11"                                                           | 49 lbs.            |
| B2LW | 2    | 8 <sup>3</sup> / <sub>4</sub> " x 11 <sup>1</sup> / <sub>2</sub> " | 52 lbs.            |

Replacement Handle No. LK2X




STEEL I-BEAM REINFORCED

ROLLED SHOULDERS

**16 GA.  
PERFORATED  
CLIPPED POINT  
RICE  
CLOSED BACK**

| No.     | Size | Blade                                                              | Weight<br>Per Doz. |
|---------|------|--------------------------------------------------------------------|--------------------|
| B1CBRLW | 1    | 8 <sup>1</sup> / <sub>4</sub> " x 10 <sup>1</sup> / <sub>4</sub> " | 48 lbs.            |
| B2CBRLW | 2    | 9" x 11 <sup>1</sup> / <sub>4</sub> "                              | 51 lbs.            |

Replacement Handle No. LKCBX



**16 GA.  
PERFORATED  
CLIPPED POINT  
RICE  
PLAIN BACK**


| No.   | Size | Blade                                                              | Weight<br>Per Doz. |
|-------|------|--------------------------------------------------------------------|--------------------|
| B1RLW | 1    | 8 <sup>1</sup> / <sub>4</sub> " x 10 <sup>1</sup> / <sub>4</sub> " | 48 lbs.            |
| B2RLW | 2    | 9" x 11 <sup>1</sup> / <sub>4</sub> "                              | 51 lbs.            |

Replacement Handle No. LK2X





Steel  
Moly D



Railroad  
Malleable D




Type E  
Pein D



West Virginia  
Pein Malleable D



Rubber Pein  
Malleable D



Rubber Pein  
Aluminum D


## Optional D Handles Furnished To Your Order

### REPLACEMENT HANDLES

#### For Open and Closed Back Blades



**VCBX** 22 1/2" Moly D handle  
for closed back shovels and spades.



**VTSX** 28" Moly D handle  
for open back shovels and spades.



**V3X** 30" Moly D handle  
for open back coal shovels and scoops.



**KCBX** Regular Wt. } 43" long handle  
**LKCBX** Lightweight }  
for closed back shovels and spades.



**KTSX** Regular Wt. } 48" long handle  
**LKTSX** Lightweight }  
for open back shovels and spades.

#### For Plain Back Blades




**VIX** 30" Moly D handle for plain back  
shovels.




**V2X** 30" Moly D handle for plain back  
spades.

Note: Replacement handles for Closed Back and Open Back blades are furnished with steel I-Beam reinforcement as standard. If I-Beam is NOT wanted, order by catalog number, and specify NO I-BEAM.

Always order the correct replacement handle by catalog number. The wrong handle will spoil the balance of the tool.



**K2X** Regular Wt. 54" long handle  
for plain back spades.



**K1X** Regular Wt. 54" long handle  
**LK1X** Lightweight 51" long handle  
for plain back shovels.